


# 800 Series

**ELCAST**  
LIGHTING



[ELCASTLTG@ELCASTLTG.COM](mailto:ELCASTLTG@ELCASTLTG.COM)

815 S Kay Avenue Addison  
IL, 60101 USA

P 630 543 5390  
F 630 543 5392

# 800 SERIES

**LED, CFL ARCHITECTURAL RECESSED & SURFACE WALL MOUNT**

Catalog Number	
Project/Location	Type
Approved By	

**HOUSING**

Heavy-duty, corrosion resistant, die-cast aluminum. Provided with 1-3/4" KO. Decorative die-cast aluminum frames. Please see page 2 for multiple face plate options. All external hardware shall be stainless steel.

**GASKET**

Closed cell silicone foam gasket. Seals out moisture, dust, and insects for weather-tight operation.

**LENS**

One piece, molded opal white, impact resistant, UV stabilized polycarbonate lens or frosted glass.

**BALLAST**

CF: electronic, thermally protected high power factor 120/277  
LED: solid state electronic driver

**SOCKET**

CF: four pin plug in type

**MOUNTING**

Recessed and surface wall mount.

**FINISH/COLOR**


Polyester powder coat over zinc based primer. Available in matte black (MB), matte bronze (BZ), matte white (MW), silver gray (SG), or custom color (CC).

**OPTIONS**


F1 single fuse  
G/P glass or polycarbonate  
PC photo cell (surface mount only)  
S surface mount box  
ETI emergency ballast in separate back box  
ETR emergency ballast remote (CFL only)  
LED-ETR emergency ballast remote (LED only)

ETL listed suitable for wet location.  
Conforms to UL Standard 1598.

Series	Lamp	Wattage/MAX
800	PLT	42W
	LED	21W



**FRAME OPTIONS**




**Ordering Example**

800 - R OR S - 42PLT - 120 - MB - TP

Specifications are subject to change without notice. Consult factory for verification.


# Decorative Face Plate Options for 800/800AL Series




-1




-2




-7




-7



-14




-3




-3




-8




-8




-15




-4




-4




-9




-9




-15




-5




-5




-10




-11




-16




-6




-6



-12



-13



-16

**ELCAST**LIGHTING

815 S KAY AVE ADDISON, IL 60101 USA

630.543.5390 • FAX: 630.543.5392

[elcastltg@elcastltg.com](mailto:elcastltg@elcastltg.com) • [www.elcastltg.com](http://www.elcastltg.com)